


PROEDGE

The Simple, Elegant Smart Latch



The ProEdge Smart Latch, by PTI Security Systems, simplifies door security for both operators and tenants with next-generation Bluetooth technology that provides keyless access, automated rental possibilities, and overlocking functionality. This one latch is all that is needed to accommodate left and right hand doors and is designed for both flat and corrugated doors. Tenants just need to swipe left on the app to unlock the latch.



BLUETOOTH CONNECTIVITY

Tenant access controlled through a next generation Bluetooth connection via the StorID app.



TAMPER RESISTANT BREAKAWAY TAB

A breakaway tab with an onboard accelerometer mitigates forced entry with real-time alerts.



STORLOGIX CLOUD INTEGRATION

StorLogix Cloud connectivity provides operators with info on tenant access and overlocking capabilities.



3-YEAR BATTERY PERFORMANCE



Requires a single lithium-manganese dioxide battery that performs up to three years or 6,500 cycles.

Order ProEdge With The Following Door Manufacturers



Contact PTI Security Systems:

sales@ptisecurity.com | +1 800.523.9504 | ptisecurity.com



ProEdge leverages an onboard LumenRadio to mitigate noise from other wireless systems and a self-healing, adaptive MiraMesh network, with built in redundancies, to maximize uptime using the most optimum data route.

PROEDGE SPECIFICATIONS



Materials

- Material: Stainless steel casing



Operating Temperature

- 31° F to 150° F



Tamper Resistance

- Onboard accelerometer
- Breakaway tab



IP Class Grade

- IP55



Battery

- 3 years or 6,500+ lock/unlock cycles
- Battery type: Lithium-Manganese Dioxide
- Suitable for all environments



Connectivity

- Bluetooth Low-Energy 4.2
- 30 meter range
- StorID app for tenant access



Monitoring

- LED light indicates lock status
- Access logs sync with StorLogix Cloud

UNLOCK THE POWER OF PROEDGE WITH STORID

Discover the full potential of the ProEdge solution by installing and activating the StorID app. Available for both iOS and Android devices, StorID provides tenants a convenient method to unlock and lock their storage units by directly connecting to ProEdge via Bluetooth.




PROEDGE

The Simple, Elegant Smart Latch



The ProEdge Smart Latch, by PTI Security Systems, simplifies door security for both operators and tenants with next-generation Bluetooth technology that provides keyless access, automated rental possibilities, and overlocking functionality. This one latch is all that is needed to accommodate left and right hand doors and is designed for both flat and corrugated doors. Tenants just need to swipe left on the app to unlock the latch.



BLUETOOTH CONNECTIVITY

Tenant access controlled through a next generation Bluetooth connection via the StorID app.



TAMPER RESISTANT BREAKAWAY TAB

A breakaway tab with an onboard accelerometer mitigates forced entry with real-time alerts.



STORLOGIX CLOUD INTEGRATION

StorLogix Cloud connectivity provides operators with info on tenant access and overlocking capabilities.



3-YEAR BATTERY PERFORMANCE



Requires a single lithium-manganese dioxide battery that performs up to three years or 6,500 cycles.

Order ProEdge With The Following Door Manufacturers



Contact PTI Security Systems:

sales@ptisecurity.com | +1 800.523.9504 | ptisecurity.com



ProEdge leverages an onboard LumenRadio to mitigate noise from other wireless systems and a self-healing, adaptive MiraMesh network, with built in redundancies, to maximize uptime using the most optimum data route.

PROEDGE SPECIFICATIONS



Materials

- Material: Stainless steel casing



Operating Temperature

- 31° F to 150° F



Tamper Resistance

- Onboard accelerometer
- Breakaway tab



IP Class Grade

- IP55



Battery

- 3 years or 6,500+ lock/unlock cycles
- Battery type: Lithium-Manganese Dioxide
- Suitable for all environments



Connectivity

- Bluetooth Low-Energy 4.2
- 30 meter range
- StorID app for tenant access



Monitoring

- LED light indicates lock status
- Access logs sync with StorLogix Cloud

UNLOCK THE POWER OF PROEDGE WITH STORID

Discover the full potential of the ProEdge solution by installing and activating the StorID app. Available for both iOS and Android devices, StorID provides tenants a convenient method to unlock and lock their storage units by directly connecting to ProEdge via Bluetooth.



PROEDGE

The Simple, Elegant Smart Latch



The ProEdge Smart Latch, by PTI Security Systems, simplifies door security for both operators and tenants with next-generation Bluetooth technology that provides keyless access, automated rental possibilities, and overlocking functionality. This one latch is all that is needed to accommodate left and right hand doors and is designed for both flat and corrugated doors. Tenants just need to swipe left on the app to unlock the latch.



BLUETOOTH CONNECTIVITY

Tenant access controlled through a next generation Bluetooth connection via the StorID app.



TAMPER RESISTANT BREAKAWAY TAB

A breakaway tab with an onboard accelerometer mitigates forced entry with real-time alerts.



STORLOGIX CLOUD INTEGRATION

StorLogix Cloud connectivity provides operators with info on tenant access and overlocking capabilities.





3-YEAR BATTERY PERFORMANCE

Requires a single lithium-manganese dioxide battery that performs up to three years or 6,500 cycles.

ProEdge Smart Latch & SteelBlue Turnkey Door Solution

By integrating PTI's ProEdge latch with SteelBlue's innovative 9530 roll-up door, we offer an unrivaled package that combines the latest patent-pending designs from two industry leaders.





ProEdge leverages an onboard LumenRadio to mitigate noise from other wireless systems and a self-healing, adaptive MiraMesh network, with built in redundancies, to maximize uptime using the most optimum data route.

PROEDGE SPECIFICATIONS



Materials

- Material: Stainless steel casing



Operating Temperature

- 31° F to 150° F



Tamper Resistance

- Onboard accelerometer
- Breakaway tab



IP Class Grade

- IP55



Battery

- 3 years or 6,500+ lock/unlock cycles
- Battery type: Lithium-Manganese Dioxide
- Suitable for all environments



Connectivity

- Bluetooth Low-Energy 4.2
- 30 meter range
- StorID app for tenant access



Monitoring

- LED light indicates lock status
- Access logs sync with StorLogix Cloud

UNLOCK THE POWER OF PROEDGE WITH STORID

Discover the full potential of the ProEdge solution by installing and activating the StorID app. Available for both iOS and Android devices, StorID provides tenants a convenient method to unlock and lock their storage units by directly connecting to ProEdge via Bluetooth.

